

MODELS SC-070 thru SC-197

B I L L V A L I D A T O R S

RELDOM hasn't met
a bill validator yet . . .
it couldn't accommodate!



Shown with extruded guide rails
for World B V



Modified with punched hole doors



RELDOM[™]
CORPORATION

Las Vegas Office

2675 E. Patrick Lane #12
Las Vegas, Nevada 89120
702.253.7129 fax: 702.253.7182

Los Angeles Office

3241 Industry Drive
Signal Hill, CA 90755-4013
562/498-3346 Fax: 562/498-3356

Reldom's

BILL VALIDATOR CARTS

Whatever your Soft-Count or Bill Validator transportation requirements, there's a **Reldom** cart to securely handle them. Mesh fronts and backs provide optimum sight lines for casino security personnel and video cameras to view interior contents at all times.

FEATURES

- hinged doors open to 270 degrees
- Offset sliding doors
- Corner bumpers
- 6-inch polyurethane casters
- Flush mounted handles

OPTIONS

- World bill validator extruded rail guides (add -ex)
- Towing assembly (add -t)
- Custom shelf spacing
- Provisions for additional door locks
- Custom colors
- Wheels and casters for multiple surfaces



BILL VALIDATOR SPECIFICATIONS MODELS SC-070 THRU SC-197

MODEL	DESCRIPTION		OVERALL DIMENSIONS +/- .12			DROP BOXES		B V BOXES		
	DOOR CONFIGURATION	STORAGE LEVELS	LENGTH	DEPTH	HEIGHT	STD.	SLIM	IGT	BALLY	WORLD
SC-070	2 Hinged	3 @ 10.50	30.76"	22.62"	44.14"	9	15	36	45	30
SC-100	2 Hinged	5 @ 8.50"	38.76"	22.62"	58.38"	20	30	80	105	70
SC-107	2 Offset Sliding		38.76"	22.62"	58.62"	20	30	80	105	70
SC-110	2 Hinged		54.76"	22.62"	58.06"	30	45	120	150	100
SC-117	2 Offset Sliding		54.76"	22.62"	58.38"	30	45	120	150	100
SC-135	2 Hinged		60.76"	29.12"	58.38"	70	100	210	240	
SC-135-D4	4 Hinged		3 @ 15.00"	62.76"	29.12"	58.38"	42	66		
SC-140-2S	2 Hinged	3 @ 18.00"	52.18"	30.17"	67.88"	24-Hour Slimline Drop Boxes				
SC-140	2 Hinged	6 @ 8.50"	52.18"	30.17"	67.88"			198	240	180
SC-140ML	2 Hinged		66.14	30.17"	67.88"	84	132	246	300	225
SC-141	4 Hinged		52.18"	30.17"	67.88"			198	240	180
SC-146	4 Offset Sliding		52.18"	30.17"	68.26"			198	240	180
SC-147	2 Offset Sliding		52.18"	30.17"	68.26"			198	240	180
SC-148	Offset Combo		52.18"	30.17"	68.06"			198	240	180
SC-140S4	2 Hinged	5 @ 8.50"	52.18"	30.17"	58.38"	50	80	150	180	135
SC-141S4*	4 Hinged		52.18"	30.17"	58.38"	50	80	150	180	135
SC-146S4	4 Offset Sliding		52.18"	30.17"	58.62"	50	80	150	180	135
SC-147S4	2 Offset Sliding		52.18"	30.17"	58.62"	50	80	150	180	135
SC-148S4*	Offset Combo		52.18"	30.17"	58.62"	50	80	150	180	135
SC-140S4-2S*	2 Hinged		3 @ 14.83"	52.18"	30.17"	58.38"	24 Multi-Shift			
SC-160	2 Hinged	6 @ 8.50"	52.18"	34.89"	67.88"			264	300	180
SC-161	4 Hinged		52.18"	33.18"	67.88"			264	300	180
SC-166	4 Offset Sliding		52.18"	35.93	68.12"			264	300	180
SC-167	2 Offset Sliding		52.18"	34.81"	68.12"			264	300	180
SC-168*	Offset Combo		52.18"	34.81"	68.12"			264	300	180
SC-170	2 Hinged		62.76"	35.62"	67.88"			336	360	288
SC-170S4*	2 Hinged	5 @ 8.50"	62.76"	35.62"	61.81"	70	100	280	300	260
SC-171*	4 Hinged	6 at 8.50"	62.76"	35.62"	67.88"			336	360	288
SC-175	2 Hinged		52.18"	35.62"	67.88"			280	240	240
SC-176	4 Offset Sliding		62.82"	35.91"	68.12"			336	360	288
SC-177	2 Offset Sliding		62.82"	34.81"	68.12"			336	360	288
SC-178*	Offset Combo	62.82"	34.81"	68.12"			336	360	288	
SC-180	2 Hinged	4 @ 14.25"	77.41"	27.25"	71.87"	56 Multi-Shift				
SC-190*	2 Hinged	3 @ 14.25	66.76"	27.25	56.62"	36 Multi-Shift				
SC-197	2 Offset Sliding		66.76"	28.25"	57.12"	36 Multi-Shift				
SC-197S5	2 Offset Sliding	6 @ 8.50"	66.76"	28.25"	68.12"			270	312	156